1-9-04

xpress Mail No.: EL615430802US

Date Mailed: January 7, 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Rudiger Ridder, et al.

Appl. No. 10/633,484

Filed: July 31, 2003

For: METHOD FOR SOLUTION BASED

DIAGNOSIS

Art Unit: 1632

Examiner: Not Yet Assigned

Atty. Docket: 05033.0003.00US00

Confirmation No. 6405

Information Disclosure Statement

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

JAN 0 8 2004 %

Listed on accompanying Form PTO-1449 are documents that may be considered material to the examination of this application, in compliance with the duty of disclosure requirements of 37 C.F.R. §§ 1.56, 1.97 and 1.98.

Where the publication date of a listed document does not provide a month of publication, the year of publication of the listed document is sufficiently earlier than the effective U.S. filing date and any foreign priority date so that the month of publication is not in issue. Applicants have listed publication dates on the attached PTO-1449 based on information presently available to the undersigned. However, the listed publication dates should not be construed as an admission that the information was actually published on the date indicated.

Applicants reserve the right to establish the patentability of the claimed invention over any of the information provided herewith, and/or to prove that this information may not be prior art, and/or to prove that this information may not be enabling for the teachings purportedly offered.

This statement should not be construed as a representation that a search has been made, or that information more material to the examination of the present patent application does not exist. The Examiner is specifically requested not to rely solely on the material submitted herewith. It is further understood that the Examiner will consider information that had been cited by or submitted

to the U.S. Patent and Trademark Office in a prior application relied on under 35 U.S.C. § 120. 1138 OG 37, 38 (May 19, 1992).

Applicants have checked the appropriate boxes below.

- 1. This Information Disclosure Statement is being filed;
 - □ a. Within three months of the U.S. filing date of a national application other than a continued prosecution application under §1.53(d);
 - □ b. Within three months of the date of entry of the national stage as set forth in §1.491 in an international application;
 - c. Before the mailing date of a first Office Action on the merits;
 - □ d. Before the mailing of a first Office Action after filing of a request for continued examination under § 1.115.

No statement under 37 C.F.R. § 1.97(e) or fee is required.

- □ 2. This Information Disclosure Statement is being filed after the period specified in paragraph 1(a)-1(d) above, but before the mailing date of a Final Rejection or Notice of Allowance, or action that otherwise closes prosecution in the application, and
 - □ a. I hereby state that each item of information contained in this Information Disclosure

 Statement was first cited in any communication from a foreign patent office
 in a counterpart foreign application not more than three months prior to the
 filing of this Information Disclosure Statement. 37 C.F.R. § 1.97(e)(1), or
 - □ b. I hereby state that no item of information in this Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to my knowledge after making reasonable inquiry, no item of information contained in this Information Disclosure Statement was known to any individual designated in 37 C.F.R. § 1.56(c) more than three months prior to the filing of this Information Disclosure Statement. 37 C.F.R. § 1.97(e)(2), or
 - □ c. Attached is our Check No. _____ in the amount of \$ ____ in payment of the fee under 37 C.F.R. § 1.17(p).
- □ 3. This Information Disclosure Statement is being filed more than three months after the U.S. filing date and after the mailing date of a Final Rejection or Notice of Allowance, but

		on of before payment of the issue Fee. Attached is our Check No in the
		amount of \$ in payment of the fee under 37 C.F.R. § 1.17(i), and
	□ a.	I hereby state that each item of information contained in this Information Disclosure
		Statement was first cited in any communication from a foreign patent office
		in a counterpart foreign application not more than three months prior to the
		filing of this Information Disclosure Statement. 37 C.F.R. § 1.97(e)(1), or
	□ b.	I hereby state that no item of information in this Information Disclosure Statement
		was cited in a communication from a foreign patent office in a counterpart
		foreign application, and, to my knowledge after making reasonable inquiry,
	•	no item of information contained in this Information Disclosure Statement
		was known to any individual designated in 37 C.F.R. § 1.56(c) more than
		three months prior to the filing of this Information Disclosure Statement. 37
		C.F.R. § 1.97(e)(2).
4 .	Relev	ance of the non-English language document(s) is discussed in the present specification.
□ 5.	The o	document(s) was/were cited in a corresponding foreign application. An English
		language version of the foreign search report is attached for the Examiner's
		information.
□ 6.	A cor	ncise explanation of the relevance of the non-English language document(s) appears
		below:
7 .	The E	examiner's attention is directed to co-pending U.S. Patent Application No,
		filed, which is directed to related technical subject matter. The
		identification of this U.S. Patent Application is not to be construed as a waiver of
		secrecy as to that application now or upon issuance of the present application as a
		patent. The Examiner is respectfully requested to consider the cited application and
		the art cited therein during examination.
□ 8.	Copie	s of the documents were cited by or submitted to the Office in Application No.
		, filed, which is relied upon for an earlier filing date under 35
		U.S.C. § 120. Thus, copies of these documents are not attached. 37 C.F.R.
		§ 1.98(d).

It is respectfully requested that the Examiner initial and return a copy of the enclosed PTO-1449, and to indicate in the official file wrapper of this patent application that the documents have been considered.

The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 08-3038 referencing docket number 05033.0003.00US00.

Respectfully submitted,

Date: January 7, 2004

Albert P. Halluin (Reg. No. 25,227) Viola T. Kung (Reg. No. 41,131)

HOWREY SIMON ARNOLD & WHITE, LLP

301 Ravenswood Avenue Box No. 34 Menlo Park, CA 94025 (650) 463-8109



(Use several sheets if necessary)

PTO FORM 1449

ATTY. DOCKET NO. 05033.0003.00US00	APPLICATION NO. 10/633,484
APPLICANT Ridder, et al.	
FILING DATE	GROUP
July 31, 2003	1632

		· · · · · · · · · · · · · · · · · · ·	U.S. PATI	ENT DOCUMENTS	<u>, </u>				
*EXAMINER		DOCUMENT NUMBER	DATE	NAME	CLASS	SI	UBCLASS	FILING DA	
	1.	2001/0039023	11.08.01	Schubert, Walter					
·	2.	2002/0086288	07.04.02	Bird, et al.					
	3.								
	4.								
			FOREIGN PA	ATENT DOCUMENTS				,	
*EXAMINER		DOCUMENT NUMBER	DATE	COUNTRY	(CLASS	SUBCLASS	TRANSL	ATIO
INITIAL								YES	N
	5.	EP 0 723 156	06.12.95	Europe					
	6.	WO 99/04238	14.07.98	РСТ					
	7.	EP 1 217 377	05.12.01	Europe					
	8.	Betticher, et al., "Prog	ing Author, Title	REFERENCES e, Date, Pertinent Pages ance of CCND1 (cyclin D	1) overexp	ressio	on in prim	ary rese	cted
9. Browne, et al., "Analysis of the L1 Gene Product of Human Papillomavirus Type 16 by Exprin a Vaccinia Virus Recombinant", J. gen. Virol., 69: 1263-73 (1988)				Express	ion				
10. Carayol, et al., "NK cells differentiated from bone marrow, cord blood and peripheral blood cells exhibit similar phenotype and functions", Eur. J. Immunol. 28: 1991-2002 (1998)			ood ster	n					
 11. Cattoretti, et al., "Monoclonal antibodies against recombinant parts of the Ki-67 antigen (MIB 1 MIB 3) detect proliferating cells in microwave-processed formalin-fixed paraffin sections", Journ Pathology, 168: 357-363 (1992) 12. Chilton, et al., "Estrogen Regulation of the Central Enzymes Involved in O- and N-Linked Glycoprotein Assembly in the Developing and the Adult Rabbit Endocervix", Endocrinology, 123 1237-44 (1988) 				•					
				3(3					
	13.			Cadherins and Catenins Cervix", American Journ					999
	14. Di Loreto et al., "Different binding to squamous and columnar epithelium of the uterine cervix marker of epithelial differentiation", Bas. Appl. Histochem. 31: 143-52 (1987)			cervix a	s a				
	15.	Epenetos, et al., "Use Malignancy in Serous		lium-Specific Monoclona		s for	Diagnosis	of	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



(Use several sheets if necessary)

PTO FORM 1449

ATTY. DOCKET NO. 05033.0003.00US00	APPLICATION NO. 10/633,484
APPLICANT Ridder, et al.	
FILING DATE	GROUP
July 31, 2003	1632

16.	Geradts, et al., "Immunohistochemical Detection of the Cyclin-dependent Kinase Inhibitor 2/Multiple Tumor Suppressor Gene 1 (CDKN2/MTS1) Product p16 ^{INK4A} in Archival Human Solid Tumors: Correlation with Retinoblastoma Protein Expression", Cancer Research 55: 6006-11 (1995)
17.	Grundhoefer, et al., "Determination of Liquid-Based Cervical Cytology Specimen Adequacy Using Cellular Light Scatter and Flow Cytometry", Cytometry (Communications in Clinical Sytometry), 46: 340-4 (2001)
18.	Guillou, et al., "Squamous Cell Carcinoa of the Lung in a Nonsmoking, Monirradiated Patient with Juvenile Laryngotracheal Papillomatosis", <i>The American Journal of Surgical Pathology</i> , 15(9) 891-8 (1991)
19.	Hamid, et al., "Detection of Human Probombesin mRNA in Neuroendocrine (Small Cell) Carcinoma of the Lung", Cancer, 63:266-71 (1989)
 20.	Harada, et al., "Phenotypic Difference of Normal Plasma Cells from Mature Myeloma Cells", Blood, 81(10): 2658-63 (1993)
21.	Heid, et al., "Cell type-specific desmosomal plaque proteins of the plakoglobin family: plakophilin 1 (band 6 protein)", Differentiation, 58: 113-31 (1994)
 22.	Hermann, et al., "Reduced LAK Cytotoxicity of Peripheral Blood Mononuclear Cells in Patients with Bladder Cancer: Decreased LAK Cytotoxicity Caused by a Low Incidence of CD56+ and CD57+ Mononuclear Blood Cells
23.	Hirama, et al., "p16 (CDKN2/Cylin-dependent Kinase-+ inhibitor/Multiple Tumor Suppressor-1) Gene Is Not Altered in Uterine Cervical Carcinomas or Cell Lines", Modern Pathology, 9(1) 26-31 (1996)
24.	Iftner, et al., "Involvement of Human Papillomavirus Type 8 Genes E6 and E7 in Transformation and Replication", Journal of Virology, 62(10): 3655-61 (1988)
25.	Jones, et al., "Detection of T and B Cells in Many Animal Species Using Cross-Reactive Anti- Peptide Antibodies, <i>The Journal of Immunology</i> , 150: 5429-35 (1993)
26.	Kelley, et al., "CDKN2 in HPV-Positive and HPV-Negative Cervical-Carcinoma Cell Lines", Int. J. Cancer, 63: 226-30 (1995)
27.	Kim, et al., "Absence of p15 ^{INK4B} and p16 ^{INK4A} Gene Alterations in Primary Cervical Carcinoma Tisues and Cell Lines with Human Papillomavirus Infection", <i>Gynecologic Oncology</i> , 70: 75-9 (1998)
28.	Kim, et al., "Underexpression of Cyclin-Dependent Kinase (CDK) Inhibitors in Cervical Carcinoma", Gynecologic Oncology, 71: 38-45 (1998)
29.	Klaes, et al., "Overexpression of p16 ^{INK4A} as a Specific Marker for Dysplastic and Neoplastic Epithelial Cells of the Cervix Uteri", <i>Int. J. Cancer</i> , 92: 276-284 (2001)
30.	Koch, et al., "Specificity of antibodies to the purified Con A acceptor glycoproteins of cultured tumour cells", Br. J. Cancer, 53: 13-22 (1986)

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant,



(Use several sheets if necessary)

PTO FORM 1449

ATTY, DOCKET NO. 05033.0003.00US00	APPLICATION NO. 10/633,484
APPLICANT Ridder, et al.	
FILING DATE	GROUP
July 31, 2003	1632

 (2000) 32. Larsson, et al., "Tissue Plasminogen Activator and Urokinase in Normal, Dysplastic and Cancerous Squamous Epithelium of the Uterine Cervix, Thrombosis and Haemostasis, 58(3): 822-6 (1987) 33. Latza, et al., "Ber-EP4: new monoclonal antibody which distinguishes epithelia from mesothelia", J Clin Pathol, 43: 213-9 (1990) 34. Mason, et al., "Rapid Communication", American Journal of Pathology, 136(6) 1215-22 (1990) 35. Mendoza-Rodriguez, et al., "El gen supresor de tumors p53: mecanismos de acción en la proliferación y muerte cellular, Rincón Del Residente, 53(3): 266-73 (2001) 36. Milde-Langosch, et al., "P16/MTS1 and pRB expression in endometrial carcinomas", Virchows Arch, 434: 23-8 (1999) 37. Milde-Langosch, et al., "p16/MTS1 Inactivation in Ovarian Carcinomas: High Frequency of rEduced Protein expression Associated with Hyper-Methylation or Mutation in Endometroid and Mucinous Tumors", Int. J. Cancer, 79: 61-5 (1998) 38. Mistretta, et al., "Isolation of a Carcino-Embryonic-Antigen (CEA) from a Liver Metastasis of 		·
Squamous Epithelium of the Utenne Cervix, <i>Thrombosis and Haemostasis</i> , 58(3): 822-6 (1987) 33. Latza, et al., "Ber-EP4: new monoclonal antibody which distinguishes epithelia from mesothelia", <i>J Clin Pathol</i> , 43: 213-9 (1990) 34. Mason, et al., "Rapid Communication", <i>American Journal of Pathology</i> , 136(6) 1215-22 (1990) 35. Mendoza-Rodriguez, et al., "El gen supresor de tumors p53: mecanismos de acción en la proliferación y muerte cellular, <i>Rincón Del Residente</i> , 53(3): 266-73 (2001) 36. Milde-Langosch, et al., "P16/MTS1 and pRB expression in endometrial carcinomas", <i>Virchows Arch</i> , 434: 23-8 (1999) 37. Milde-Langosch, et al., "p16/MTS1 Inactivation in Ovarian Carcinomas: High Frequency of rEduce Protein expression Associated with Hyper-Methylation or Mutation in Endometroid and Mucinous Tumors", <i>Int. J. Cancer</i> , 79: 61-5 (1998) 38. Mistretta, et al., "Isolation of a Carcino-Embryonic-Antigen (CEA) from a Liver Metastasis of Primary Adenocarcinoma of the Colon and Preparation of the Specific Antiserum", <i>Specialia</i> , 1209 10 (1974) 39. Mujica ven Herckenrode, et al., "Antibodies specific for HeLa glycoprotein antigens are also specific for human endocervical epithelium, <i>Br. J. Cancer</i> , (1988) 40. Nair, et al., "Involucrin and Tumor Progression in the Uterine Cervix", <i>Pathobiology</i> , 64: 333-8 (1996) 41. Nuovo, et al., "Expression of the Agastrin-Releasing Peptide Gene in Carcinomas of the Breast", <i>Int. J. Cancer</i> 47: 371-5 (1991) 42. Pagani, et al., "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", <i>Int. J. Cancer</i> 47: 371-5 (1991) 43. Rogers, et al., "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells", <i>J. Cancer Clinic. Oncology</i> , 20(10): 1279-86 (1981) 44. Sano, et al., "Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", <i>American Journal of Pathology</i> , 153(6): 1741-8 (1998) 45. Sano, et al., "Immunohistochemical overexpression of p16 protein asso	31.	Testicular Neoplasms and the Androgen Insensitivity Syndrome, Human Pathology, 31(9): 1055-61
 Clin Pathol, 43: 213-9 (1990) 34. Mason, et al., "Rapid Communication", American Journal of Pathology, 136(6) 1215-22 (1990) 35. Mendoza-Rodríguez, et al., "El gen supresor de tumors p53: mecanismos de acción en la proliferación y muerte cellular, Rincón Del Residente, 53(3): 266-73 (2001) 36. Milde-Langosch, et al., "P16/MTS1 and pRB expression in endometrial carcinomas", Virchows Arch, 434: 23-8 (1999) 37. Milde-Langosch, et al., "p16/MTS1 Inactivation in Ovarian Carcinomas: High Frequency of rEducer Protein expression Associated with Hyper-Methylation or Mutation in Endometroid and Mucinous Tumors", Int. J. Cancer, 79: 61-5 (1998) 38. Mistretta, et al., "Isolation of a Carcino-Embryonic-Antigen (CEA) from a Liver Metastasis of Primary Adenocarcinoma of the Colon and Preparation of the Specific Antiserum", Specialia, 1209 10 (1974) 39. Mujica ven Herckenrode, et al., "Antibodies specific for HeLa glycoprotein antigens are also specific for human endocervical epithelium, Br. J. Cancer, (1988) 40. Nair, et al., "Involucrin and Tumor Progression in the Uterine Cervix", Pathobiology, 64: 333-8 (1996) 41. Nuovo, et al., "In situ detection of the hypermethylation-induced inactivation of the p16 gene as a early event in oncogenesis", PNAS, 96(22): 12754-9 (1999) 42. Pagani, et al., "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", Int. J. Cancer 41: 371-5 (1991) 43. Rogers, et al., "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells", J. Cancer Clinic. Oncology, 20(10): 1279-86 (1981) 44. Sano, et al., "Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", American Journal of Pathology, 153(6): 1741-8 (1998) 45. Sano, et al., "Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical	32.	Larsson, et al., "Tissue Plasminogen Activator and Urokinase in Normal, Dysplastic and Cancerous Squamous Epithelium of the Uterine Cervix, <i>Thrombosis and Haemostasis</i> , 58(3): 822-6 (1987)
 Mendoza-Rodriguez, et al., "El gen supresor de tumors p53: mecanismos de acción en la proliferación y muerte cellular, <i>Rincón Del Residente</i>, 53(3): 268-73 (2001) Milde-Langosch, et al., "P16/MTS1 and pRB expression in endometrial carcinomas", <i>Virchows Arch</i>, 434: 23-8 (1999) Milde-Langosch, et al., "p16/MTS1 Inactivation in Ovarian Carcinomas: High Frequency of rEducer Protein expression Associated with Hyper-Methylation or Mutation in Endometroid and Mucinous Tumors", <i>Int. J. Cancer</i>, 79: 61-5 (1998) Mistretta, et al., "Isolation of a Carcino-Embryonic-Antigen (CEA) from a Liver Metastasis of Primary Adenocarcinoma of the Colon and Preparation of the Specific Antiserum", <i>Specialia</i>, 1209 10 (1974) Mujica ven Herckenrode, et al., "Antibodies specific for HeLa glycoprotein antigens are also specific for human endocervical epithelium, <i>Br. J. Cancer</i>, (1988) Nair, et al., "Involucrin and Tumor Progression in the Uterine Cervix", <i>Pathobiology</i>, 64: 333-8 (1996) Nuovo, et al., "In situ detection of the hypermethylation-induced inactivation of the p16 gene as a early event in oncogenesis", <i>PNAS</i>, 96(22): 12754-9 (1999) Pagani, et al., "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", <i>Int. J. Cancer</i> 47: 371-5 (1991) Rogers, et al., "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells"", <i>J. Cancer Clinic. Oncology</i>, 20(10): 1279-86 (1981) Sano, et al., "Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", <i>American Journal of Pathology</i>, 153(6): 1741-8 (1998) Sano, et al., "Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", <i>Pathology International</i>, 48: 580-5 (1998) 	33.	Latza, et al., "Ber-EP4: new monoclonal antibody which distinguishes epithelia from mesothelia", J. Clin Pathol, 43: 213-9 (1990)
proliferación y muerte cellular, <i>Rincón Del Residente</i> , 53(3): 266-73 (2001) 36. Milde-Langosch, et al., "P16/MTS1 and pRB expression in endometrial carcinomas", <i>Virchows Arch</i> , 434: 23-8 (1999) 37. Milde-Langosch, et al., "p16/MTS1 Inactivation in Ovarian Carcinomas: High Frequency of rEducer Protein expression Associated with Hyper-Methylation or Mutation in Endometroid and Mucinous Tumors", <i>Int. J. Cancer</i> , 79: 61-5 (1998) 38. Mistretta, et al., "Isolation of a Carcino-Embryonic-Antigen (CEA) from a Liver Metastasis of Primary Adenocarcinoma of the Colon and Preparation of the Specific Antiserum", <i>Specialia</i> , 1209 10 (1974) 39. Mujica ven Herckenrode, et al., "Antibodies specific for HeLa glycoprotein antigens are also specific for human endocervical epithelium, <i>Br. J. Cancer</i> , (1988) 40. Nair, et al., "Involucrin and Tumor Progression in the Uterine Cervix", <i>Pathobiology</i> , 64: 333-8 (1996) 41. Nuovo, et al., "In situ detection of the hypermethylation-induced inactivation of the p16 gene as a early event in oncogenesis", <i>PNAS</i> , 96(22): 12754-9 (1999) 42. Pagani, et al., "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", <i>Int. J. Cancer</i> 47: 371-5 (1991) 43. Rogers, et al., "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells", <i>J. Cancer Clinic. Oncology</i> , 20(10): 1279-86 (1981) 44. Sano, et al., "Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", <i>American Journal of Pathology</i> , 153(6): 1741-8 (1998) 45. Sano, et al., "Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", <i>Pathology International</i> , 48: 580-5 (1998)	34.	Mason, et al., "Rapid Communication", American Journal of Pathology, 136(6) 1215-22 (1990)
 Arch, 434: 23-8 (1999) 37. Milde-Langosch, et al., "p16/MTS1 Inactivation in Ovarian Carcinomas: High Frequency of rEducer Protein expression Associated with Hyper-Methylation or Mutation in Endometroid and Mucinous Tumors", Int. J. Cancer, 79: 61-5 (1998) 38. Mistretta, et al., "Isolation of a Carcino-Embryonic-Antigen (CEA) from a Liver Metastasis of Primary Adenocarcinoma of the Colon and Preparation of the Specific Antiserum", Specialia, 1209 10 (1974) 39. Mujica ven Herckenrode, et al., "Antibodies specific for HeLa glycoprotein antigens are also specific for human endocervical epithelium, Br. J. Cancer, (1988) 40. Nair, et al., "Involucrin and Tumor Progression in the Uterine Cervix", Pathobiology, 64: 333-8 (1996) 41. Nuovo, et al., "In situ detection of the hypermethylation-induced inactivation of the p16 gene as a early event in oncogenesis", PNAS, 96(22): 12754-9 (1999) 42. Pagani, et al., "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", Int. J. Cancer 47: 371-5 (1991) 43. Rogers, et al., "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells", J. Cancer Clinic. Oncology, 20(10): 1279-86 (1981) 44. Sano, et al., "Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", American Journal of Pathology, 153(6): 1741-8 (1998) 45. Sano, et al., "Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", Pathology International, 48: 580-5 (1998) 46. Serrano, et al., "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin 	35.	
Protein expression Associated with Hyper-Methylation or Mutation in Endometroid and Mucinous Tumors", <i>Int. J. Cancer</i> , 79: 61-5 (1998) 38. Mistretta, et al., "Isolation of a Carcino-Embryonic-Antigen (CEA) from a Liver Metastasis of Primary Adenocarcinoma of the Colon and Preparation of the Specific Antiserum", <i>Specialia</i> , 1209 10 (1974) 39. Mujica ven Herckenrode, et al., "Antibodies specific for HeLa glycoprotein antigens are also specific for human endocervical epithelium, <i>Br. J. Cancer</i> , (1988) 40. Nair, et al., "Involucrin and Tumor Progression in the Uterine Cervix", <i>Pathobiology</i> , 64: 333-8 (1996) 41. Nuovo, et al., "In situ detection of the hypermethylation-induced inactivation of the p16 gene as a early event in oncogenesis", <i>PNAS</i> , 96(22): 12754-9 (1999) 42. Pagani, et al., "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", <i>Int. J. Cancer</i> 47: 371-5 (1991) 43. Rogers, et al., "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells*", <i>J. Cancer Clinic. Oncology</i> , 20(10): 1279-86 (1981) 44. Sano, et al., "Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", <i>American Journal of Pathology</i> , 153(6): 1741-8 (1998) 45. Sano, et al., "Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", <i>Pathology International</i> , 48: 580-5 (1998) 46. Serrano, et al., "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin	36.	<u> </u>
Primary Adenocarcinoma of the Colon and Preparation of the Specific Antiserum", <i>Specialia</i> , 1209 10 (1974) 39. Mujica ven Herckenrode, <i>et al.</i> , "Antibodies specific for HeLa glycoprotein antigens are also specific for human endocervical epithelium, <i>Br. J. Cancer</i> , (1988) 40. Nair, <i>et al.</i> , "Involucrin and Tumor Progression in the Uterine Cervix", <i>Pathobiology</i> , 64: 333-8 (1996) 41. Nuovo, <i>et al.</i> , "In situ detection of the hypermethylation-induced inactivation of the <i>p16</i> gene as a early event in oncogenesis", <i>PNAS</i> , 96(22): 12754-9 (1999) 42. Pagani, <i>et al.</i> , "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", <i>Int. J. Cancer</i> 47: 371-5 (1991) 43. Rogers, <i>et al.</i> , "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells*", <i>J. Cancer Clinic. Oncology</i> , 20(10): 1279-86 (1981) 44. Sano, <i>et al.</i> , "Expression Status of <i>p</i> 16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", <i>American Journal of Pathology</i> , 153(6): 1741-8 (1998) 45. Sano, <i>et al.</i> , "Immunohistochemical overexpression of <i>p</i> 16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", <i>Pathology International</i> , 48: 580-5 (1998) 46. Serrano, <i>et al.</i> , "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin	37.	
specific for human endocervical epithelium, <i>Br. J. Cancer</i> , (1988) 40. Nair, et al., "Involucrin and Tumor Progression in the Uterine Cervix", <i>Pathobiology</i> , 64: 333-8 (1996) 41. Nuovo, et al., "In situ detection of the hypermethylation-induced inactivation of the p16 gene as a early event in oncogenesis", <i>PNAS</i> , 96(22): 12754-9 (1999) 42. Pagani, et al., "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", <i>Int. J. Cancer</i> 47: 371-5 (1991) 43. Rogers, et al., "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells*", <i>J. Cancer Clinic. Oncology</i> , 20(10): 1279-86 (1981) 44. Sano, et al., "Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", <i>American Journal of Pathology</i> , 153(6): 1741-8 (1998) 45. Sano, et al., "Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", <i>Pathology International</i> , 48: 580-5 (1998) 46. Serrano, et al., "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin	38.	Primary Adenocarcinoma of the Colon and Preparation of the Specific Antiserum", Specialia, 1209-
 (1996) 41. Nuovo, et al., "In situ detection of the hypermethylation-induced inactivation of the p16 gene as a early event in oncogenesis", PNAS, 96(22): 12754-9 (1999) 42. Pagani, et al., "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", Int. J. Cancer 47: 371-5 (1991) 43. Rogers, et al., "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells*", J. Cancer Clinic. Oncology, 20(10): 1279-86 (1981) 44. Sano, et al., "Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", American Journal of Pathology, 153(6): 1741-8 (1998) 45. Sano, et al., "Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", Pathology International, 48: 580-5 (1998) 46. Serrano, et al., "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin 	39.	
early event in oncogenesis", <i>PNAS</i> , 96(22): 12754-9 (1999) 42. Pagani, <i>et al.</i> , "Expression of the Gastrin-Releasing Peptide Gene in Carcinomas of the Breast", <i>Int. J. Cancer</i> 47: 371-5 (1991) 43. Rogers, <i>et al.</i> , "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells*", <i>J. Cancer Clinic. Oncology</i> , 20(10): 1279-86 (1981) 44. Sano, <i>et al.</i> , "Expression Status of <i>p</i> 16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", <i>American Journal of Pathology</i> , 153(6): 1741-8 (1998) 45. Sano, <i>et al.</i> , "Immunohistochemical overexpression of <i>p</i> 16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", <i>Pathology International</i> , 48: 580-5 (1998) 46. Serrano, <i>et al.</i> , "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin	40.	1
 Int. J. Cancer 47: 371-5 (1991) 43. Rogers, et al., "A Monoclonal Antibody Against a CEA-related Antigen Expressed on HT29 Colon Tumour Cells*", J. Cancer Clinic. Oncology, 20(10): 1279-86 (1981) 44. Sano, et al., "Expression Status of p16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", American Journal of Pathology, 153(6): 1741-8 (1998) 45. Sano, et al., "Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", Pathology International, 48: 580-5 (1998) 46. Serrano, et al., "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin 	41.	
Tumour Cells*", <i>J. Cancer Clinic. Oncology</i> , 20(10): 1279-86 (1981) 44. Sano, <i>et al.</i> , "Expression Status of <i>p</i> 16 Protein Is Associated with Human Papillomavirus Oncogenic Potential in Cervical and Genital Lesions", <i>American Journal of Pathology</i> , 153(6): 1741-8 (1998) 45. Sano, <i>et al.</i> , "Immunohistochemical overexpression of <i>p</i> 16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", <i>Pathology International</i> , 48: 580-5 (1998) 46. Serrano, <i>et al.</i> , "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin	42.	
Oncogenic Potential in Cervical and Genital Lesions", <i>American Journal of Pathology</i> , 153(6): 1741-8 (1998) 45. Sano, et al., "Immunohistochemical overexpression of p16 protein associated with intact retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", <i>Pathology International</i> , 48: 580-5 (1998) 46. Serrano, et al., "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin	43.	
retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia", Pathology International, 48: 580-5 (1998) 46. Serrano, et al., "A new regulatory motif in cell-cycle control causing specific inhibition of cyclin	44.	Oncogenic Potential in Cervical and Genital Lesions", American Journal of Pathology, 153(6):
	45.	retinoblastoma protein expression in cervical cancer and cervical intraepithelial neoplasia",
	46.	
47. Shigemasa, et al., "p16 Overexpression: A Potential Early Indicator of Transformation in Ovarian	47.	Shigemasa, et al., "p16 Overexpression: A Potential Early Indicator of Transformation in Ovarian

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



(Use several sheets if necessary)

PTO FORM 1449

ATTY. DOCKET NO. 05033.0003.00US00	APPLICATION NO. 10/633,484
APPLICANT Ridder, et al.	
FILING DATE	GROUP
July 31, 2003	1632

	Carcinoma", J. Soc. Gynecol Invest., 4(2): 95-102 (1997)
48.	Shim, et al., "Profiling of Differentially Expressed Genes in Human Primary Cervical Cancer by Complementary DNA Expression Array", Clinical Cancer Research, 4: 3045-50 (1998)
49.	Smedts, et al., "Changing Patterns of Keratin Expression During Progression of Cervical Intraepithelial Neoplasia", American Journal of Pathology, 136(3): 657-68 (1990)
50.	Smith, et al., "Cytochemical Demonstration of Oxidative Damage in Alzheimer Disease by Immunochemical Enhancement of the Carbonyl Reaction with 2,4-Dinitrophenylhydrazine", The J. of Histochemistry & Cytochemistry, 46(6): 731-5 (1998)
51.	Southern, et al., "Los of Cytokeratin 14 Expression Is Related to Human Papillomavirus Type and Lesion Grade in Squamous Intraepithelial Lesions of the Cervix", Human Pathology, 32(12): 1351-5 (2001)
52.	Tam, et al., "Differential Expression and Cell Cycle Regulation of the Cyclin-dependent Kinase 4 Inhibitor p16 ^{INK4} ", Cancer Research, 54: 1816-20 (1994)
53.	Tashiro, et al., "Immunohistochemical Study of Mucin Carbohydrates and Core Proteins in Human Ovarian Tumors", Human Pathology, 25(4): 364-72 (1994)
54.	van der Poel, et al., "Can biological markers replace cyctoscopy? An update", Current Opinion in Urology, 11:503-9 (2001)
55.	Versura, "Detection of mucus glycoconjugates in human cervical epithelium by lectin-colloidal gold technique in transmission electron microscopy", <i>Bas. Appl. Histochem.</i> , 32: 219-27 (1988)
56.	Waseem, et al., "Monoclonal antibody analysis of the proliferating cell nuclear antigen (PCNA) – Structural conservation and the detection of a nucleolar form", J. of Cell. Science, 96: 121-9 (1990)
57.	Wong, et al., "Methylation of p16 ^{INK4A} in primary gynecologic malignancy", Cancer Letters, 136: 231-5 (1999)
58.	Wong, et al., "p16 ^{INK4} and p15 ^{INK4B} Alterations in Primary Gynecologic Malignancy, Gynecologic Oncology 65: 319-24 (1997)
59.	Zimmer, et al., "Proliferating Cell Nuclear Antigen (PCNA) in Atypical and Malignant Meningiomas", Path. Res. Pract. 188: 951-8 (1992)

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.